

## References - Neovascular Phenotypes: Polypoidal Choroidal Vasculopathy

1. Yannuzzi LA. Idiopathic polypoidal choroidal vasculopathy. The Macula Society Meeting. Miami, USA, February 5, 1982. 1982;1.
2. Kleiner RC, Brucker AJ, Johnston RL. The posterior uveal bleeding syndrome. *Retina* 1990;10(1):9-17.
3. Stern RM, Zakov ZN, Zegarra H, Gutman FA. Multiple recurrent serosanguineous retinal pigment epithelial detachments in black women. *Am J Ophthalmol* 1985;100(4):560-569.
4. Cheung CM, Yang E, Lee WK, Lee GK, Mathur R, Cheng J, Wong D, Wong TY, Lai TY. The natural history of polypoidal choroidal vasculopathy: a multi-center series of untreated Asian patients. *Graefes Arch Clin Exp Ophthalmol* 2015;253(12):2075-85.
5. Yannuzzi LA, Freund KB, Goldbaum M, Scassellati-Sforzolini B, Guyer DR, Spaide RF, Maberley D, Wong DW, Slakter JS, Sorenson JA, Fisher YL, Orlock DA. Polypoidal choroidal vasculopathy masquerading as central serous chorioretinopathy. *Ophthalmology* 2000;107:767-777.
6. Li H, Wen F, Wu D. Polypoidal choroidal vasculopathy in a patient with circumscribed choroidal hemangioma. *Retina* 2004;24:629-631.
7. Bartlett HM, Willoughby B, Mandava N. Idiopathic polypoidal choroidal vasculopathy in a patient with melanocytoma of the optic nerve. *Retina* 2001;21:396-399.
8. Mauget-Faÿsse M, Cornut PL, Quaranta El-Maftouhi M, Leys A. Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma. *Am J Ophthalmol* 2006;142:970-975.
9. Fine HF, Ferrara DC, Ho IV, Takahashi B, Yannuzzi LA. Bilateral choroidal osteomas with polypoidal choroidal vasculopathy. *Retin Cases Brief Rep* 2008;2:15-17.
10. Samira K, Engelbert ME, Yutaka I, Freund KB. Polypoidal choroidal vasculopathy: Simultaneous Indocyanine Green Angiography and Eye-Tracked Spectral Domain Optical Coherence Tomography Findings. *Retina* 2012;32:1057-1068.
11. Ciardella AP, Donsoff IM, Huang SJ, Costa DL, Yannuzzi LA. Polypoidal choroidal vasculopathy. *Surv Ophthalmol* 2004;49(1):25-37.
12. Scassellati-Sforzolini B, Mariotti C, Bryan R, Yannuzzi LA, Giuliani M, Giovannini A. Polypoidal choroidal vasculopathy in Italy. *Retina* 2001;21(2):121-125.
13. Yuzawa M, Mori R, Kawamura A. The origins of polypoidal choroidal vasculopathy. *Br J Ophthalmol* 2005;89(5):602-607.
14. MacCumber MW, Dastgheib K, Bressler NM, Chan CC, Harris M, Fine S, Green WR. Clinicopathologic correlation of the multiple recurrent serosanguineous retinal pigment epithelial detachments syndrome. *Retina* 1994;14(2):143-152.
15. Lafaut BA, Leys AM, Snyders B, Rasquin F, De Laey JJ. Polypoidal choroidal vasculopathy in Caucasians. *Graefes Arch Clin Exp Ophthalmol* 2000;238:752-9.
16. Rosa RH Jr, Davis JL, Eifrig CW. Clinicopathologic reports, case reports, and small case series: clinicopathologic correlation of idiopathic polypoidal choroidal vasculopathy. *Arch Ophthalmol* 2002;120(4):502-508.
17. Okubo A, Sameshima M, Uemura A, Kanda S, Ohba N. Clinicopathological correlation of polypoidal choroidal vasculopathy revealed by ultrastructural study. *Br J Ophthalmol* 2002;86 (10):1093-1098.
18. Terasaki H, Miyake Y, Suzuki T, Nakamura M, Nagasaka T. Polypoidal choroidal vasculopathy treated with macular translocation: clinical pathological correlation. *Br J Ophthalmol* 2002;86(3):321-327.
19. Nakashizuka H, Mitsumata M, Okisaka S, Shimada H, Kawamura A, Mori R, Yuzawa M. Clinicopathologic findings in polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci*

20. Okubo A, Hirakawa M, Ito M, Sameshima M, Sakamoto T. Clinical features of early and late stage polypoidal choroidal vasculopathy characterized by lesion size and disease duration. *Graefes Arch Clin Exp Ophthalmol* 2008;246(4):491-499.
21. Guyomarch J, Jean-Charles A, Acis D, Donnio A, Richer R, Merle H. Vasculopathie polypoidale choroidienne idiopathique: aspects cliniques et angiographiques. *J Fr Ophtalmol* 2008;31(6 Pt 1):579-584.
22. Spaide RF, Yannuzzi LA, Slakter JS, Sorenson J, Orlach DA. Indocyanine green videoangiography of idiopathic polypoidal choroidal vasculopathy. *Retina* 1995;15(2):100-110.
23. Silva RM, Figueira J, Cachulo ML, Duarte L, Faria JR., Cunha-Vaz JG. Polypoidal choroidal vasculopathy and photodynamic therapy with verteporfin. *Graefes Arch Clin Exp Ophthalmol* 2005;243(10):973-979.
24. Yannuzzi LA, Wong DW, Sforzolini BS, Goldbaum M, Tang KC, Spaide RF, Freund KB, Slakter JS, Guyer DR, Sorenson JA, Fisher Y, Maberley D, Orlock DA. Polypoidal choroidal vasculopathy and neovascularized age-related macular degeneration. *Arch Ophthalmol* 1999;117(11):1503-1510.
25. Yannuzzi LA, Ciardella A, Spaide RF, Rabb M, Freund KB, Orlock DA. The expanding clinical spectrum of idiopathic polypoidal choroidal vasculopathy. *Arch Ophthalmol* 1997;115(4):478-485.
26. Ahuja RM, Stanga PE, Vingerling JR, Reck AC, Bird AC. Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments. *Br J Ophthalmol* 2000;84(5):479-484.
27. Cheng Y, Huang L, Li X, Zhou P, Zeng W, Zhang C. Genetic and functional dissection of ARMS2 in age-related macular degeneration and polypoidal choroidal vasculopathy. *PLoS One* 2013;8: e53665.
28. Kondo N, Honda S, Kuno S, Negi A. Coding variant I62V in the complement factor H gene is strongly associated with polypoidal choroidal vasculopathy. *Ophthalmology* 2009;116(2):304-310.
29. Gotoh N, Nakanishi H, Hayashi H, Yamada R, Otani A, Tsujikawa A, Yamashiro K, Tamura H, Saito M, Saito K, Iida T, Matsuda F, Yoshimura N. ARMS2 (LOC387715) variants in Japanese patients with exudative age-related macular degeneration and polypoidal choroidal vasculopathy. *Am J Ophthalmol* 2009;147(6):1037-1041.
30. Zhang X, Wen F, Zuo C, Li M, Chen H, Wu K. Association of genetic variation on chromosome 9p21 with polypoidal choroidal vasculopathy and neovascular age-related macular degeneration. *Invest Ophthalmol Vis Sci* 2001;52:8063-8067.
31. Gotoh N, Yamada R, Nakanishi H, Saito M, Iida T, Matsuda F, Yoshimura N. Correlation between CFH Y402H and HTTR1 rs11200638 genotype to typical exudative age-related macular degeneration and polypoidal choroidal vasculopathy phenotype in the Japanese population. *Clin Experiment Ophthalmol* 2008; 36(5):437-442.
32. Kondo N, Honda S, Ishibashi K, Tsukahara Y, Negi A. Elastin gene polymorphisms in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci* 2008;49(3):1101-1105.
33. Chen H, Liu K, Chen LJ, Hou P, Chen W, Pang CP. Genetic associations in polypoidal choroidal vasculopathy: a systematic review and meta-analysis. *Mol Vis* 2012;18:816-829.
34. Ross RD, Gitter KA, Cohen G, Schomaker KS. Idiopathic polypoidal choroidal vasculopathy associated with retinal arterial macroaneurysm and hypertensive retinopathy. *Retina* 1996;16(2):105-111.
35. Wen F, Chen C, Wu D, Li H. Polypoidal choroidal vasculopathy in elderly Chinese patients. *Graefes Arch Clin Exp Ophthalmol* 2004;242(8):625-629.
36. Uyama M, Wada M, Nagai Y, Matsubara T, Matsunaga H, Fukushima I, Takahashi K, Matsumura M. Polypoidal choroidal vasculopathy: natural history. *Am J Ophthalmol* 2002;133 (5):639-648.
37. Yang SS, Fu AD, McDonald HR, Johnson RN, Ai E, Jumper JM. Massive spontaneous choroidal hemorrhage. *Retina* 2003;23(2):139-144.
38. Kwok AK, Lai TY, Chan CW, Neoh EL, Lam DS. Polypoidal choroidal vasculopathy in Chinese

- patients. *Br J Ophthalmol* 2002;86(8):892-897.
39. Klais CM, Ciardella A, Yannuzzi LA. Polypoidal choroidal vasculopathy. In: Virgil Alfaro D, Liggett PE, Mieler WF, Quiroz-Mercado H, Jager RD, Tano Y, eds. *Age-Related Macular Degeneration: A Comprehensive Textbook*. Philadelphia, USA. Lippincott-Raven. 2006;6:53-63.
  40. Ojima Y, Hangai M, Sakamoto A, Tsujikawa A, Otani A, Tamura H, Yoshimura N. Improved visualization of polypoidal choroidal vasculopathy lesions using spectral-domain optical coherence tomography. *Retina* 2009;29(1):52-59.
  41. Kameda T, Tsujikawa A, Otani A, Sasahara M, Gotoh N, Tamura H, Yoshimura N. Polypoidal choroidal vasculopathy examined with en face optical coherence tomography. *Clin Experiment Ophthalmol* 2007;35(7):596-601.
  42. Wang M, Zhou Y, Gao SS, Liu W, Huang Y, Huang D, Jia Y. Evaluating Polypoidal Choroidal Vasculopathy With Optical Coherence Tomography Angiography. *Invest Ophthalmol Vis Sci*. 2016 Jul 1;57(9):OCT526-32. doi: 10.1167/iovs.15-18955.
  43. Hikichi T, Ohtsuka H, Higuchi M, Matsushita T, Ariga H, Kosaka S, Matsushita R. Causes of macular serous retinal detachments in Japanese patients 40 years and older. *Retina* 2009;29(3):395-404.
  44. Yannuzzi LA, Sorenson J, Spaide RF, Lipson B. Idiopathic polypoidal choroidal vasculopathy (IPCV). *Retina* 1990;10(1):1-8.
  45. Ozawa S, Ishikawa K, Ito Y, Nishihara H, Yamakoshi T, Hatta Y, Terasaki H. Differences in macular morphology between polypoidal choroidal vasculopathy and exudative age-related macular degeneration detected by optical coherence tomography. *Retina* 2009;29(6):793-802.
  46. Moorthy RS, Lyon AT, Rabb MF, Spaide RF, Yannuzzi LA, Jampol LM. Idiopathic polypoidal choroidal vasculopathy of the macula. *Ophthalmology* 1998;105(8):1380-1385.
  47. Guyer DR, Yannuzzi LA, Ladas I, Slakter JS, Sorenson JA, Orlock D. Indocyanine green-guided laser photocoagulation of focal spots at the edge of plaques of choroidal neovascularization. *Arch Ophthalmol* 1996;114(6):693-697.
  48. Gomez-Ulla F, Gonzalez F, Torreiro MG. Diode laser photocoagulation in idiopathic polypoidal choroidal vasculopathy. *Retina* 1998;18(5):481-483.
  49. Yuzawa M, Mori R, Haruyama M. A study of laser photocoagulation for polypoidal choroidal vasculopathy. *Jpn J Ophthalmol* 2003;47(4):379-384.
  50. Yamanishi A, Kawamura A, Yuzawa M. Laser photocoagulation for idiopathic polypoidal choroidal vasculopathy. *Jpn J Clin O* 1998;52:1691-1694.
  51. Nishijima K, Takahashi M, Akita J, Katsuta H, Tanemura M, Aikawa H, Mandai M, Takagi H, Kiryu J, Honda Y. Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy. *Am J Ophthalmol* 2004;137(4):770-773.
  52. Mitamura Y, Kubota-Taniai M, Okada K, Kitahashi M, Baba T, Mizunoya S, Yamamoto S. Comparison of photodynamic therapy to transpupillary thermotherapy for polypoidal choroidal vasculopathy. *Eye (Lond)* 2009;23(1):67-72.
  53. Gomi F, Ohji M, Sayanagi K, Sawa M, Sakaguchi H, Oshima Y, Ikuno Y, Tano Y. One-year outcomes of photodynamic therapy in age-related macular degeneration and polypoidal choroidal vasculopathy in Japanese patients. *Ophthalmology* 2008;115(1):141-146.
  54. Mauget-Faysse M, Quaranta-EI MM, De La ME, Leys A. Photodynamic therapy with verteporfin in the treatment of exudative idiopathic polypoidal choroidal vasculopathy. *Eur J Ophthalmol* 2006;16(5):695-704.
  55. Chan WM, Lam DS, Lai TY, Liu DT, Li KK, Yao Y, Wong TH. Photodynamic therapy with verteporfin for symptomatic polypoidal choroidal vasculopathy: one-year results of a prospective case series. *Ophthalmology* 2004;111(8):1576-1584.
  56. Sayanagi K, Gomi F, Sawa M, Ohji M, Tano Y. Long-term follow-up of polypoidal choroidal vasculopathy after photodynamic therapy with verteporfin. *Graefes Arch Clin Exp Ophthalmol* 2007;245(10):1569-1571.

57. Tsuchiya D, Yamamoto T, Kawasaki R, Yamashita H. Two-year visual outcomes after photodynamic therapy in age-related macular degeneration patients with or without polypoidal choroidal vasculopathy lesions. *Retina* 2009;29(7):960-965.
58. Silva Leal S, Silva Rufino, Figueira J, Cachulo ML, Pires I, Faria de Abreu JR, Cunha-Vaz JG. Photodynamic therapy with verteporfin in polypoidal choroidal vasculopathy: Results after 3 years of follow-up. *Retina* 2010;30(8):1197-205.
59. Lee WK, Lee PY, Lee SK. Photodynamic therapy for polypoidal choroidal vasculopathy: vaso-occlusive effect on the branching vascular network and origin of recurrence. *Jpn J Ophthalmol* 2008;52(2):108-115.
60. Sayanagi K, Gomi F, Sawa M, Ohji M, Tano Y. Long-term follow-up of polypoidal choroidal vasculopathy after photodynamic therapy with verteporfin. *Graefes Arch Clin Exp Ophthalmol* 2007;245(10):1569-1571.
61. Shiraga F, Matsuo T, Yokoe S, Takasu I, Okanouchi T, Ohtsuki H, Grossniklaus HE. Surgical treatment of submacular hemorrhage associated with idiopathic polypoidal choroidal vasculopathy. *Am J Ophthalmol* 1999;128(2):147-154.
62. Fujii GY, Pieramici DJ, Humayun MS, Schachat AP, Reynolds SM, Melia M, De Juan E Jr. Complications associated with limited macular translocation. *Am J Ophthalmol* 2000;130(6):751-762.
63. Lai TY, Chan WM, Liu DT, Luk FO, Lam DS. Intravitreal bevacizumab (Avastin) with or without photodynamic therapy for the treatment of polypoidal choroidal vasculopathy. *Br J Ophthalmol* 2008;92(5):661-666.
64. Reche-Frutos J, Calvo-Gonzalez C, Donate-Lopez J, Garcia-Feijoo J, Leila M, Garcia-Sanchez J. Short-term anatomic effect of ranibizumab for polypoidal choroidal vasculopathy. *Eur J Ophthalmol* 2008;18(4):645-648.
65. Reche-Frutos J, Calvo-Gonzalez C, Donate-Lopez J, Garcia-Feijoo J, Leila M, Garcia-Sanchez J. Short-term anatomic effect of ranibizumab for polypoidal choroidal vasculopathy. *Eur J Ophthalmol* 2008;18(4):645-648.
66. QLT INC: 6-month results from EVEREST study evaluating Visudyne(R) therapy in patients with polypoidal choroidal vasculopathy. Available at: <http://www.4-traders.com/QLT-INC-10600/news/QLT-INC-6-month-results-from-EVEREST-study-evaluating-Visudyne-R-therapy-in-patients-with-polypoi-13292269/>. Accessed May 19, 2017.
67. Lai TY, Lam CP, Luk FO, Chan RP, Chan WM, Liu DT, Lam DS. Photodynamic therapy with or without intravitreal triamcinolone acetonide for symptomatic polypoidal choroidal vasculopathy. *J Ocul Pharmacol Ther* 2010;26:91-95.
68. Ricci F, Calabrese A, Regine F, Missiroli F, Ciardella AP. Combined reduced fluence photodynamic therapy and intravitreal ranibizumab for polypoidal choroidal vasculopathy. *Retina* 2012;32:1280-1288.
69. Yoshida Y, Kohno T, Yamamoto M, Yoneda T, Iwami H, Shiraki K. Two-year results of reduced-fluence photodynamic therapy combined with intravitreal ranibizumab for typical age-related macular degeneration and polypoidal choroidal vasculopathy. *Jpn J Ophthalmol* 2013;57:283-293.
70. Koh AH; Expert PCV Panel, Chen LJ, Chen SJ, Chen Y, Giridhar A, Iida T, Kim H, Yuk Yau Lai T, Lee WK, Li X, Han Lim T, Ruamviboonsuk P, Sharma T, Tang S, Yuzawa M. Polypoidal choroidal vasculopathy: Evidence-Based Guidelines for Clinical Diagnosis and Treatment. *Retina* 2013;33:686-716.
71. Visual Outcome in Patients With Symptomatic Macular PCV Treated With Either Ranibizumab as Monotherapy or Combined With Verteporfin Photodynamic Therapy. (EVEREST II). <https://clinicaltrials.gov/ct2/show/NCT01846273>
72. Aflibercept in Polypoidal Choroidal Vasculopathy (PLANET) (<https://clinicaltrials.gov/ct2/show/NCT02120950>)
73. Marques JP, Farinha C, Costa MA, Ferrão A, Sandra Nunes, Rufino Silva. Protocol for a randomised, double-masked, sham-controlled phase 4 study on the efficacy, safety and tolerability of intravitreal aflibercept monotherapy compared with aflibercept with adjunctive photodynamic therapy in polypoidal choroidal vasculopathy: the ATLANTIC study. *BMJ Open* 2017 August 28, 7 (8): e015785

[View PDF](#)