

## References - Laser photocoagulation

1. Macular Photocoagulation Study Group. Argon laser photocoagulation for senile macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1982; 100: 912-918.
2. Macular Photocoagulation Study Group. Argon laser photocoagulation for neovascular maculopathy: three-year results from randomized clinical trials. Arch Ophthalmol 1986; 104: 694-701.
3. Macular Photocoagulation Study Group. Krypton laser photocoagulation for idiopathic neovascular lesions. Results of a randomized clinical trial. Arch Ophthalmol 1990; 108: 832-837.
4. Macular Photocoagulation Study Group. Persistent and recurrent neovascularization after Krypton laser photocoagulation for neovascular lesions of age-related macular degeneration. Arch Ophthalmol 1990b; 108: 825-833.
5. Macular Photocoagulation Study Group. Argon laser photocoagulation for neovascular maculopathy: five-year results from randomized clinical trials. Arch Ophthalmol 1991; 109: 1109-1114.
6. Macular photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions in age-related macular degeneration: results of a randomized clinical trial. Arch Ophthalmol 1991b; 109:1220-1231.
7. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal recurrent neovascular lesions in age-related macular degeneration: Results of a randomized clinical trials. Arch Ophthalmol 1991c; 109: 132-1241.
8. Macular photocoagulation Study Group. Subfoveal neovascular lesions in age-related macular degeneration: guidelines for evaluation and treatment in the Macular Photocoagulation Study. Arch. Ophthalmol 1991d; 109:1242-1257.
9. Macular Photocoagulation Study Group. Five-year follow-up of fellow eyes of patients with age-related macular degeneration and unilateral extrafoveal choroidal neovascularization. Arch Ophthalmol 1993; 111:1189-1199.
10. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions of age-related macular degeneration. Arch Ophthalmol 1993b; 111:1200-1209.

11. Macular Photocoagulation Study Group. Laser photocoagulation for juxtafoveal choroidal neovascularization. Arch Ophthalmol 1994a; 112: 500-509.
12. Macular Photocoagulation Study Group. Persistent and recurrent neovascularization after laser photocoagulation for subfoveal choroidal neovascularization of age-related macular degeneration. Arch Ophthalmol 1994b; 112:489-499.
13. Macular Photocoagulation Study Group. Visual outcome after laser photocoagulation for subfoveal choroidal neovascularization secondary to age-related macular degeneration: the influence of initial lesion size and initial visual acuity. Arch Ophthalmol 1994c; 112: 480-488.
14. Macular Photocoagulation Study Group. Laser photocoagulation for juxtafoveal choroidal neovascularization: five-year results from randomized clinical trials. Arch Ophthalmol 1994d; 112: 500-509.
15. Macular Photocoagulation Study Group. Occult choroidal neovascularization: influence of visual outcome in patients with age-related macular degeneration. Arch Ophthalmol 1996; 114: 400-412.
16. Macular photocoagulation Study Group. Risk factors for choroidal neovascularization in the second eye of patients with juxtafoveal or subfoveal neovascularization secondary to age-related macular degeneration. Arch Ophthalmol.1997; 115:741-747.
17. Morfields Macular Study Group. Treatment of senile disciform macular degeneration: a single blind randomized trial by argon laser photocoagulation. Br J Ophthalmol 1982; 66:745-753.
18. Soubrane G, Coscas G, Français C, Koenig F. Occult subretinal new vessels in age-related macular degeneration: natural history and early laser treatment. Ophthalmology 1990; 97:649-657.
19. Coscas G, Soubrane G, Ramahefasolo. Perifoveal laser treatment for subfoveal choroidal new vessels in age-related macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1991; 109:1258-1265.
20. Vartner P. Applying number-needed-to treat (NNT) analysis to ophthalmic clinical trials. Optom Vis Sci 2005; 83: 919-930.
21. Vander JF, Morgan CM, Schatz H, 1989. Growth rate of subretinal neovascularization in age-related macular degeneration. Ophthalmology 96:1422-1426.

22. Guyer DR, Yannuzzi LA, Slakter JS, et al. Classification of choroidal neovascularization by digital indocyanine green videoangiography. *Ophthalmology* 1996;103:2054-60.
23. Fernandes LHS, Freund KB, Yannuzzi LA, Spaide RF, Huang SJ, Slakter JS, Sorenson JA, 2002. The nature of focal areas of hyperfluorescence or "hot spots" imaged with indocyanine green angiography. *Retina*. 2002; 22:557-568.
24. Slakter JS, Yannuzzi LA, Sorenson JA, et al. A pilot study of indocyanine green videoangiography-guided laser treatment of occult-choroidal neovascularization in age-related macular degeneration. *Arch Ophthalmol* 1994;112:465-72.
25. Regillo SD, Benson WE, Maguire JI, Annesley WH. Indocyanine green angiography and occult-choroidal neovascularization. *Ophthalmology* 1994;101:280-8.
26. Lim JI, Sternberg PJ, Capone AJ, et al. Selective use of indocyanine green angiography and occult-choroidal neovascularization. *Am J Ophthalmol* 1995;120:75- 87.
27. Introini U, Brancato R, Pece A. ICG-guided laser photocoagulation of occult-CNV. *Ophthalmologica* 1998;215:295-300.
28. Guyer DR, Yannuzzi LA, Ladas I, et al. Indocyanine-green guided laser photocoagulation of focal spots at the edge of plaques of choroidal neovascularization. *Arch Ophthalmol* 1996;114:693-
29. Kuhn D, Meunier I, Soubrane G, Coscas G. Imaging of chorioretinal anastomoses in vascularized retinal pigment epithelium detachments. *Arch. Ophthalmol.* 1995; 113: 1392-1398.
30. Johnson TM, Glaser BM. Focal laser ablation of retinal angiomatous proliferation. *Retina* 2006; 26 (7): 765-72.
31. Guyer DR, Yannuzzi LA, Ladas I, Slakter JS, Sorenson JA, Orlock D. Indocyanine green-guided laser photocoagulation of focal spots at the edge of plaques of choroidal neovascularization. *Arch Ophthalmol* 1996; 114 (6): 693-697.
32. Gomez-Ulla F, Gonzalez F, Torreiro MG. Diode laser photocoagulation in idiopathic polypoidal choroidal vasculopathy. *Retina* 1998; 18 (5): 481-483.
33. Yuzawa M, Mori R, Haruyama M. A study of laser photocoagulation for polypoidal choroidal vasculopathy. *Jpn J Ophthalmol* 2003; 47 (4): 379-384.

34. Yamanishi A, Kawamura A, Yuzawa M. Laser photocoagulation for idiopathic polypoidal choroidal vasculopathy. *Jpn J Clin O* 1998; 52: 1691-1694.

[View PDF](#)