References - Surgery in AMD

1. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions in age-related macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1991;109(9):1220-1231.

2. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal recurrent neovascular lesions in age-related macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1991;109(9):1232-1241.

3. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions of age-related macular degeneration. Updated findings from two clinical trials. Arch Ophthalmol 1993;111(9):1200-1209.

4. Krebs I, Brannath W, Glittenberg C, Zeiler F, Sebag J, Binder S. Posterior vitreomacular adhesion: a potential risk factor for exudative age-related macular degeneration? Am J Ophthalmol 2007;144(5):741-746.

5. Schulze S, Hoerle S, Mennel S, Kroll P. Vitreomacular traction and exudative age-related macular degeneration. Acta Ophthalmol 2008;86(5):470-481.

6. Lee SJ, Lee CS, Koh HJ. Posterior vitreomacular adhesion and risk of exudative age-related macular degeneration: paired eye study. Am J Ophthalmol 2009;147(4):621-626.

7. Mojana F, Cheng L, Bartsch DU, Silva GA, Kozak I, Nigam N, Freeman WR. The role of abnormal vitreomacular adhesion in age-related macular degeneration: spectral optical coherence tomography and surgical results. Am J Ophthalmol 2008;146(2):218-227.

8. Foulds WS. Factors influencing visual recovery in retinal detachment surgery. Trans Ophthalmol Soc U K 1980;100(Pt 1):72-77.

9. Machemer R, Steinhorst UH. Retinal separation, retinotomy, and macular relocation: I. Experimental studies in the rabbit eye. Graefes Arch Clin Exp Ophthalmol 1993;231(11):629-634.

10. Machemer R, Steinhorst UH. Retinal separation, retinotomy, and macular relocation: II. A surgical approach for age-related macular degeneration? Graefes Arch Clin Exp Ophthalmol 1993;231(11):635-641.

11. Machemer R. Macular translocation. Am J Ophthalmol 1998;125(5):698-700.

12. Wolf S, Lappas A, Weinberger AW, Kirchhof B. Macular translocation for surgical management of subfoveal choroidal neovascularizations in patients with AMD: first results. Graefes Arch Clin Exp Ophthalmol 1999;237(1):51-57.

13. Eckardt C, Eckardt U, Conrad HG. Macular rotation with and without counter-rotation of the globe in patients with age-related macular degeneration. Graefes Arch Clin Exp Ophthalmol 1999;237(4):313-325.

14. Ninomiya Y, Lewis JM, Hasegawa T, Tano Y. Retinotomy and foveal translocation for surgical management of subfoveal choroidal neovascular membranes. Am J Ophthalmol 1996;122(5):613-621.

15. Toth CA, Machemer R. Macular translocation. In: Berger JW, Fine SL, Maguire MG, eds. Age-related macular degeneration. Saint-Louis, USA. Mosby. 1999;353-362.

16. Holgado S, Enyedi LB, Toth CA, Freedman SF. Extraocular muscle surgery for extorsion after macular translocation surgery new surgical technique and clinical management. Ophthalmology 2006;113(1):63-69.

17. Pertile G, Claes C. Macular translocation with 360 degree retinotomy for management of age-related macular degeneration with subfoveal choroidal neovascularization. Am J Ophthalmol 2002;134(4):560-565.

18. Aisenbrey S, Bartz-Schmidt KU, Walter P, Hilgers RD, Ayertey H, Szurman P, Thumann G. Long-term follow-up of macular translocation with 360 degrees retinotomy for exudative age-related macular degeneration. Arch Ophthalmol 2007;125(10):1367-1372.

19. van Romunde SHM, Polito A, Bertazzi L, Guerriero M, Pertile G.. Long-term results of full macular translocation for choriodal neovascularization in age-related macular degeneration. Ophthalmology 2015;122(7):1366-1374.

20. Chen FK, Patel PJ, Uppal GS, Tufail A, Coffey PJ, Da Cruz L.. Long-term outcomes following full macular translocation surgery in neovascular age-related macular degeneration. Br J Ophthalmol 2010;94(10):1337-1343.

21. American Academy of Ophthalmology. Macular translocation. Ophthalmology 2000;107(5):1015-1018.

22. Charles S, Calzada J, Wood B. Submacular surgery and macular translocation. In: Charles S, Calzada J, Wood B, eds. Vitreous microsurgery. Fourth Edition. Philadelphia, USA. Lippincott Williams & Wilkins. 2007;14:163-171.

23. Mruthyunjaya P, Stinnett SS, Toth CA. Change in visual function after macular translocation with 360 degrees retinectomy for neovascular age-related macular degeneration. Ophthalmology 2004;111(9):1715-1724.

24. Toth CA, Lapolice DJ, Banks AD, Stinnett SS. Improvement in near visual function after macular translocation surgery with 360-degree peripheral retinectomy. Graefes Arch Clin Exp Ophthalmol 2004;242(7):541-548.

25. Wong D, Stanga P, Briggs M, Lenfestey P, Lancaster E, Li KK, Lim KS, Groenewald C. Case selection in macular relocation surgery for age related macular degeneration. Br J Ophthalmol 2004;88(2):186-190.

26. Uppal G, Milliken A, Lee J, Acheson J, Hykin P, Tufail A, da CL. New algorithm for assessing patient suitability for macular translocation surgery. Clin Experiment Ophthalmol 2007;35(5):448-457.

27. Aisenbrey S, Lafaut BA, Szurman P, Grisanti S, Luke C, Krott R, Thumann G, Fricke J, Neugebauer A, Hilgers RD, Esser P, Walter P, Bartz-Schmidt KU. Macular translocation with 360 degrees retinotomy for exudative age-related macular degeneration. Arch Ophthalmol 2002;120(4):451-459.

28. Vugler A, Carr AJ, Lawrence J, Chen LL, Burrell K, Wright A, Lundh P, Semo M, Ahmado A, Gias C, da Cruz L, Moore H, Andrews P, Walsh J, Coffey P. Elucidating the phenomenon of HESC-derived RPE: anatomy of cell genesis, expansion and retinal transplantation. Exp Neurol 2008;214(2):347-61.

29. Terasaki H, Ishikawa K, Suzuki T, Nakamura M, Miyake K, Miyake Y. Morphologic and angiographic assessment of the macula after macular translocation surgery with 360 degrees retinotomy. Ophthalmology 2003;110(12):2403-8.

30. De Juan E Jr, Loewenstein A, Bressler NM, Alexander J. Translocation of the retina for management of subfoveal choroidal neovascularization II: a preliminary report in humans. Am J Ophthalmol 1998;125(5):635-646.

31. Pieramici DJ, de Juan E Jr, Fujii GY, Reynolds SM, Melia M, Humayun MS, Schachat AP, Hartranft CD. Limited inferior macular translocation for the treatment of subfoveal choroidal neovascularization secondary to age-related macular degeneration. Am J Ophthalmol 2000;130(4):419-428.

32. Fujii GY, de Juan E Jr, Pieramici DJ, Humayun MS, Phillips S, Reynolds SM, Melia M, Schachat AP. Inferior limited macular translocation for subfoveal choroidal neovascularization secondary to age-related macular degeneration: 1-year visual outcome and recurrence report. Am J Ophthalmol 2002;134(1):69-74.

33. Fujii GY, Pieramici DJ, Humayun MS, Schachat AP, Reynolds SM, Melia M, de Juan E Jr. Complications associated with limited macular translocation. Am J Ophthalmol 2000;130(6):751-762.

34. Eandi CM, Giansanti F, Virgili G. Macular translocation for neovascular age-related macular degeneration. Cochrane Database Syst Rev 2008;(4):CD 006928.

35. De Juan E Jr, Machemer R. Vitreous surgery for hemorrhagic and fibrous complications of age-related macular degeneration. Am J Ophthalmol 1988;105(1):25-29.

36. Lambert HM, Capone A Jr, Aaberg TM, Sternberg P Jr, Mandell BA, Lopez PF. Surgical excision of subfoveal neovascular membranes in age-related macular degeneration. Am J Ophthalmol 1992;113(3):257-262.

37. Berger AS, Kaplan HJ. Clinical experience with the surgical removal of subfoveal neovascular membranes. Short-term postoperative results. Ophthalmology 1992;99(6):969-975.

38. Thomas MA, Grand MG, Williams DF, Lee CM, Pesin SR, Lowe MA. Surgical management of subfoveal choroidal neovascularization. Ophthalmology 1992;99(6):952-968.

39. Bressler NM. Submacular surgery. Are randomized trials necessary? Arch Ophthalmol 1995;113(12):1557-1560.

40. Bressler NM, Bressler SB, Hawkins BS, Marsh MJ, Sternberg P Jr, Thomas MA. Submacular surgery trials randomized pilot trial of laser photocoagulation versus surgery for recurrent choroidal neovascularization secondary to age-related macular degeneration: I. Ophthalmic outcomes submacular surgery trials pilot study report number 1. Am J Ophthalmol 2000;130(4):387-407.

41. Conti SM, Kertes PJ. Surgical management of age-related macular degeneration. Can J Ophthalmol 2005;40(3):341-351.

42. Ibanez HE, Williams DF, Thomas MA, Ruby AJ, Meredith TA, Boniuk I, Grand MG. Surgical management of submacular hemorrhage. A series of 47 consecutive cases. Arch Ophthalmol 1995;113(1):62-69.

43. Wade EC, Flynn HW Jr, Olsen KR, Blumenkranz MS, Nicholson DH. Subretinal hemorrhage management by pars plana vitrectomy and internal drainage. Arch Ophthalmol 1990;108(7):973-978.

44. Lewis H. Intraoperative fibrinolysis of submacular hemorrhage with tissue plasminogen activator and surgical drainage. Am J Ophthalmol 1994;118(5):559-568.

45. Grossniklaus HE, Gass JD. Clinicopathologic correlations of surgically excised type 1 and type 2 submacular choroidal neovascular membranes. Am J Ophthalmol 1998;126(1):59-69.

46. Grossniklaus HE, Green WR. Histopathologic and ultrastructural findings of surgically excised choroidal neovascularization. Submacular Surgery Trials Research Group. Arch Ophthalmol 1998;116(6):745-749.

47. Soloman S, Dong LM, Haller JA, Gilson MM, Hawkins BS, Bressler NM; SST research group and the SST adverse event review committee. Risk factors for rhegmatogenous retinal detachment in the submacualr surgery trials. Retina 2009;29(6):819-824.

48. Hawkins BS, Bressler NM, Miskala PH, Bressler SB, Holekamp NM, Marsh MJ, Redford M, Schwartz SD, Sternberg P Jr, Thomas MA, Wilson DJ. Surgery for subfoveal choroidal neovascularization in age-related macular degeneration: ophthalmic findings: SST report no. 11. Ophthalmology 2004;111(11):1967-1980.

49. Miskala PH, Bass EB, Bressler NM, Childs AL, Hawkins BS, Mangione CM, Marsh MJ. Surgery for subfoveal choroidal neovascularization in age-related macular degeneration: quality-of-life findings: SST report no. 12. Ophthalmology 2004;111(11):1981-1992.

50. Bressler NM, Bressler SB, Childs AL, Haller JA, Hawkins BS, Lewis H, MacCumber MW, Marsh MJ, Redford M, Sternberg P Jr, Thomas MA, Williams GA. Surgery for hemorrhagic choroidal neovascular lesions of age-related macular degeneration: ophthalmic findings: SST report no. 13. Ophthalmology 2004;111(11):1993-2006.

51. Childs AL, Bressler NM, Bass EB, Hawkins BS, Mangione CM, Marsh MJ, Miskala PH. Surgery for hemorrhagic choroidal neovascular lesions of age-related macular degeneration: quality-of-life findings: SST report no. 14. Ophthalmology 2004;111(11):2007-2014.

52. Thumann G, Aisenbrey S, Schraermeyer U, Lafaut B, Esser P, Walter P, Bartz-Schmidt KU. Transplantation of autologous iris pigment epithelium after removal of choroidal neovascular membranes. Arch Ophthalmol 2000;118(10):1350-1355.

53. Binder S, Stolba U, Krebs I, Kellner L, Jahn C, Feichtinger H, Povelka M, Frohner U, Kruger A, Hilgers RD, Krugluger W. Transplantation of autologous retinal pigment epithelium in eyes with foveal neovascularization resulting from age-related

macular degeneration: a pilot study. Am J Ophthalmol 2002;133(2):215-225.

54. Van Meurs JC, ter AE, Hofland LJ, van Hagen PM, Mooy CM, Baarsma GS, Kuijpers RW, Boks T, Stalmans P. Autologous peripheral retinal pigment epithelium translocation in patients with subfoveal neovascular membranes. Br J Ophthalmol 2004;88(1):110-113.

55. Bindewald A, Roth F, Van MJ, Holz FG. Transplantation von retinalem Pigmentepithel (RPE) nach CNV-Exzision bei altersabhängiger Makuladegeneration. Techniken, Ergebnisse und Perspektiven. Ophthalmologe 2004;101(9):886-894.

56. Aisenbrey S, Lafaut BA, Szurman P, Hilgers RD, Esser P, Walter P, Bartz-Schmidt KU, Thumann G. Iris pigment epithelial translocation in the treatment of exudative macular degeneration: a 3-year follow-up. Arch Ophthalmol 2006;124(2):183-188.

57. Binder S, Krebs I, Hilgers RD, Abri A, Stolba U, Assadoulina A, Kellner L, Stanzel BV, Jahn C, Feichtinger H. Outcome of transplantation of autologous retinal pigment epithelium in age-related macular degeneration: a prospective trial. Invest Ophthalmol Vis Sci 2004;45(11):4151-4160.

58. Peyman GA, Blinder KJ, Paris CL, Alturki W, Nelson NC Jr, Desai U. A technique for retinal pigment epithelium to extensive subfoveal scarring. Ophthalmic Surg 1991;22(2):102-108.

59. Algvere PV, Berglin L, Gouras P, Sheng Y. Transplantation of fetal retinal pigment epithelium in age-related macular degeneration with subfoveal neovascularization. Graefes Arch Clin Exp Ophthalmol 1994;232(12):707–716.

60. Algvere PV, Berglin L, Gouras P, Sheng Y, Kopp ED. Transplantation of RPE in age-related macular degenera- tion: Observations in disciform lesions and dry RPE atrophy. Graefes Arch Clin Exp Ophthalmol 1997;235(3):149–158.

61. Stanga PE, Kychenthal A, Fitzke FW, Halfyard AS, Chan R, Bird AC, Aylward GW. Retinal pigment epithelium translocation after choroidal neovascular membrane removal in age-related macular degeneration. Ophthalmology 2002;109(8):1492-1498.

62. MacLaren RE, Bird AC, Sathia PJ, Aylward GW. Long-term results of submacular surgery combined with macular translocation of the retinal pigment epithelium in neovascular age-related macular degeneration. Ophthalmology 2005;112(12):2081-2087.

63. van Meurs JC, Van Den Biesen PR. Autologous retinal pigment epithelium and choroid translocation in patients with exudative age-related macular degeneration:

short-term follow-up. Am J Ophthalmol 2003;136(4):688-695.

64. Van Zeeburg EJ, Maaijwee KJ, Missotten TO, Heimann H, van Meurs JC. A free retinal pigment epithelium-choroid graft in patients with exudative age-related macular degeneration: Results up to 7 years. Am J Ophthalmol. 2012;153(1):120e7.e2.

65. MacLaren RE, Uppal GS, Balaggan KS, Tufail AD, Ali RR, Aylward GW, DaCruz L. RPE Patch Graft Auto-Transplantation in Macular Degeneration: A Prospective Cohort Study. ARVO. Fort Lauderdale, USA, Apr 30-May 4, 2006. Invest Ophthalmol Vis Sci 2006; 47(13):2693.

66. Joussen AM, Heussen FM, Joeres S, Llacer H, Prinz B, Rohrschneider K, Maaijwee KJ, Van MJ, Kirchhof B. Autologous translocation of the choroid and retinal pigment epithelium in age-related macular degeneration. Am J Ophthalmol 2006;142(1):17-30.

67. Joussen AM, Joeres S, Fawzy N, Heussen FM, Llacer H, van Meurs JC, Kirchhof B. Autologous translocation of the choroid and retinal pigment epithelium in patients with geographic atrophy. Ophthalmology 2007;114(3):551-560.

68. MacLaren RE, Uppal GS, Balaggan KS, Tufail A, Munro PM, Milliken AB, Ali RR, Rubin GS, Aylward GW, da CL. Autologous transplantation of the retinal pigment epithelium and choroid in the treatment of neovascular age-related macular degeneration. Ophthalmology 2007;114(3):561-570.

69. Treumer F, Bunse A, Klatt C, Roider J. Autologous retinal pigment epithelium-choroid sheet transplantation in age related macular degeneration: morphological and functional results. Br J Ophthalmol 2007;91(3):349-353.
70. Treumer F, Klatt C, Roider J. Autologe RPE-Chorioidea-Translokation bei exsudativer AMD. Eine Falldemonstration 10 konsekutiver Patienten. Ophthalmologe 2007;104(9):795-802.
71. Maaijwee K, Heimann H, Missotten T, Mulder P, Joussen A, Van MJ. Retinal pigment epithelium and choroid translocation in patients with exudative age-related macular degeneration: long-term results. Graefes Arch Clin Exp Ophthalmol 2007;245(11):1681-1689.
72. Maaijwee KJ, van Meurs JC, Kirchhof B, Mooij CM, Fischer JH, Mackiewicz J, Kobuch K, Joussen AM. Histological evidence for revascularisation of an autologous retinal pigment epithelium--choroid graft in the pig. Br J Ophthalmol 2007;91(4):546-550.

73. Parolini, B, Alkabes, M, Baldi, A, Pinackatt, S. Visual recovery after autologous retinal pigment epithelium and choroidal patch in a patient with choroidal neovascularization secondary to angioid streaks: long-term results. Retin Cases Brief Rep. 2016 Fall;10(4):368-72.

74. Maaijwee K, Van Den Biesen PR, Missotten T, Van Meurs JC. Angiographic evidence for revascularization of an rpe–choroid graft in patients with age-related macular degeneration. Retina 2008;28(3):498–503.

75. Cereda MG, Parolini B, Bellesini E, Pertile G. Surgery for CNV and autologous choroidal RPE patch transplantation: exposing the submacular space. Graefes Arch Clin Exp Opththalmol 2010;248:37–47.

76. Converse JM, Rapaport FT. The vascularisation of skin autografts and homografts. Ann Surg 1956;120:306–316.

77. Bennett SR, Folk JC, Blodi CF, Klugman M. Factors prognostic of visual outcome in patients with subretinal hemorrhage. Am J Ophthalmol 1990;109(1):33-37.

78. Berrocal MH, Lewis ML, Flynn HW Jr. Variations in the clinical course of submacular hemorrhage. Am J Ophthalmol 1996;122(4):486-493.

79. Glatt H, Machemer R. Experimental subretinal hemorrhage in rabbits. Am J Ophthalmol 1982;94(6):762-773.

80. Toth CA, Morse LS, Hjelmeland LM, Landers MB, III. Fibrin directs early retinal damage after experimental subretinal hemorrhage. Arch Ophthalmol 1991;109(5):723-729.

81. Lewis H, Resuick SC, Flannery JG, Straatsma BR. Tissue plasminogen activator treatment of experimental subretinal hemorrhage. Am J Ophthalmol 1991;111:197-204.

82. Peyman GA, Nelson NCJ, Alturki W, Blinder KJ, Paris CL, Desai UR, Harper CA 3rd. Tissue plasminogen activating factor assisted removal of subretinal hemorrhage. Ophthalmic Surg 1991;22(10):575-82.

83. Kamei M, Tano Y. Tissue plasminogen activator-assisted vitrectomy: surgical drainage of submacular hemorrhage. Dev Ophthalmol 2009;44:82–88.

84. Herriot WJ. Further experience in management of submacular hemorrhage with intravitreal tPA. Proceedings of the 1997 Update on Macular Surgery, American Academy of Ophthalmology. San Francisco, USA, October. 1997;82-84.

85. Hesse L, Schmidt J, Kroll P. Management of acute submacular hemorrhage using recombinant tissue plasminogen activator and gas. Graefes Arch Clin Exp Ophthalmol 1999;237(4):273-277.

86. Karlsson E, Carlsson J, Crafoord S, Jemt M, Martensson PA, Stenkula S. Tissue Plasminogen Activator and Expanding Gas Intravitreally in Treatment of Submacular Hemorrhage. Transactions of the Swedish Society of Ophthalmology 1997. Annual Meeting. Sundsvall, Sweden, August 27-30, 1997. Acta Ophthalmol Scand 1999;77(1): 119.

87. Hassan AS, Johnson MW, Schneiderman TE, Regillo CD, Tornambe PE, Poliner LS, Blodi BA, Elner SG. Management of submacular hemorrhage with intravitreous tissue plasminogen activator injection and pneumatic displacement. Ophthalmology 1999;106(10):1900-1906.

88. Handwerger BA, Blodi BA, Chandra SR, Olsen TW, Stevens TS. Treatment of submacular hemorrhage with low-dose intravitreal tissue plasminogen activator injection and pneumatic displacement. Arch Ophthalmol 2001;119(1):28-32.

89. Hattenbach LO, Klais C, Koch FH, Gumbel HO. Intravitreous injection of tissue plasminogen activator and gas in the treatment of submacular hemorrhage under various conditions. Ophthalmology 2001;108(8):1485-1492.

90. Ohji M, Saito Y, Hayashi A, Lewis JM, Tano Y. Pneumatic displacement of subretinal hemorrhage without tissue plasminogen activator. Arch Ophthalmol 1998;116(10):1326-1332.

91. Daneshvar H, Kertes PJ, Leonard BC, Peyman GA. Management of submacular hemorrhage with intravitreal sulfur hexafluoride: a pilot study. Can J Ophthalmol 1999;34(7):385-388.

92. Silva SR, Bindra MS. Early treatment of acute submacular haemorrhage secondary to wet AMD using intravitreal tissue plasminogen activator, C3F8, and an anti-VEGF agent. Eye (Lond) 2016;30(7):952-7.

93. Kamei M, Misono K, Lewis H. A study of the ability of tissue plasminogen activator to diffuse into the subretinal space after intravitreal injection in rabbits. Am J Ophthalmol 1999;128(6):739-746.

94. Haupert CL, McCuen BW, Jaffe GJ, Steuer ER, Cox TA, Toth CA, Fekrat S, Postel EA. Pars plana vitrectomy, subretinal injection of tissue plasminogen activator, and fluid-gas exchange for displacement of thick submacular hemorrhage in age-related macular degeneration. Am J Ophthalmol 2001;131(2):208-215.

95. Olivier S, Chow DR, Packo KH, MacCumber MW, Awh CC. Subretinal recombinant tissue plasminogen activator injection and pneumatic displacement of thick submacular hemorrhage in Age-Related macular degeneration. Ophthalmology 2004; 111 (6): 1201-1208.

96. Thompson JT, Sjaarda RN. Vitrectomy for the treatment of submacular hemorrhages from macular degeneration: a comparison of submacular hemorrhage/membrane removal and submacular tissue plasminogen activator-assisted pneumatic displacement. Trans Am Ophthalmol Soc. 2005;103:98-107, discussion 107.

97. Fine HF, Iranmanesh R, Del Priore LV, Barile GR, Chang LK, Chang S, Schiff WM. Surgical outcomes after massive subretinal hemorrhage secondary to age-related macular degeneration. Retina. 2010;30(10):1588-94.

98. Treumer F, Klatt C, Roider J, Hillenkamp J. Subretinal co-application of recombinant tissue plasminogen activator and bevacizumab for neovascular age-related macular degeneration with submacular hemorrhage. Br J Ophthalmol 2010;94(1):48-53.

99. Kamei M, Tano Y, Maeno T, Ikuno Y, Mitsuda H, Yuasa T. Surgical removal of submacular hemorrhage using tissue plasminogen activator and perfluorocarbon liquid. Am J Ophthalmol. 1996;121(3):267-75.

100. Van Zeeburg EJT, van Meurs JC. Literature review of recombinant tissue plasminogen activator used for recent-onset submacular haemorrhage displacement in age-related macular degeneration. Ophthalmologica 2013;229(1):1-14.

101. Kim JH, Chang YS, Kim JW, Kim CG, Yoo SJ, Cho HJ.. Intravitreal anti–vascular endothelial growth factor for submacular hemorrhage from choroidal neovascularization. Ophthalmology 2014;121(4):926–935.

102. Simpson AR, Petrarca R, Jackson TL. Vitreomacular adhesion and neovascular age-related macular degeneration. Surv Ophthalmol. 2012;57(6):498-509.

103. Treumer F, Roider J, Hillenkamp J. Long-term outcome of subretinal co-application of recombinant tissue plasminogen activator and bevacizumab followed by repeated intravitreal anti-VEGF injections for neovascular age-related macular degeneration with submacular hemorrhage. Br J Ophthalmol 2012;96(5):708-713.

104. Stanescu-Segall D, Balta F, Jackson TL. Submacular hemorrhage in neovascular age-related macular degeneration: A synthesis of the literature. Surv Ophthalmol 2016;61(1):18-32.

105. Martel JN, Mahmoud TH. Subretinal pneumatic displacement of subretinal hemorrhage. JAMA Ophthalmol 2013;131(12):1632-5.

106. Ueda-Arakawa N, Tsujikawa A, Yamashiro K, Ooto S, Tamura H, Yoshimura N. Visual prognosis of eyes with submacular hemorrhage associated with exudative age-

related macular degeneration. Jpn J Ophthalmol 2012;56(6): 589–598.

107. Hirashima T, Moriya T, Bun T, Utsumi T, Hirose M, Oh H. Optical coherence tomography findings and surgical outcomes of tissue plasminogen activator-assisted vitrectomy for submacular hemorrhage secondary to age-related macular degeneration. Retina 2015;35(10):1969–78.

108. Kitagawa Y, Shimada H, Mori R, Tanaka K, Yuzawa M.Intravitreal Tissue Plasminogen Activator, Ranibizumab, and Gas Injection for Submacular Hemorrhage in Polypoidal Choroidal Vasculopathy. Ophthalmology 2016; 123(6):1278-86.

View PDF