

# References of Optical Coherence Tomography in Age-related Macular Degeneration

## REFERENCES

1. Marques JP, Silva R. Optical coherence tomography angiography in wet age-related macular degeneration (AMD). *Eye Sci.* 2016.
2. Puliafito CA. OCT angiography: the next era of OCT technology emerges. *Ophthalmic surgery, lasers & imaging retina.* 2014;45(5):360.
3. de Carlo TE, Bonini Filho MA, Chin AT, Adhi M, Ferrara D, Baumal CR, et al. Spectral-domain optical coherence tomography angiography of choroidal neovascularization. *Ophthalmology.* 2015;122(6):1228-38.
4. Marques JP, Costa JF, Marques M, Cachulo ML, Figueira J, Silva R. Sequential Morphological Changes in the CNV Net after Intravitreal Anti-VEGF Evaluated with OCT Angiography. *Ophthalmic research.* 2016;55(3):145-51.
5. Lumbroso B, Rispoli M, Savastano MC. Longitudinal Optical Coherence Tomography-Angiography Study of Type 2 Naive Choroidal Neovascularization Early Response after Treatment. *Retina.* 2015;35(11):2242-51.
6. Gao SS, Jia Y, Zhang M, Su JP, Liu G, Hwang TS, et al. Optical Coherence Tomography Angiography. *Investigative ophthalmology & visual science.* 2016;57(9):OCT27-36.
7. Tan ACS, Tan GS, Denniston AK, Keane PA, Ang M, Milea D, et al. An overview of the clinical applications of optical coherence tomography angiography. *Eye.* 2017.
8. Remsch H, Spraul CW, Lang GK, Lang GE. Changes of retinal capillary blood flow in age-related maculopathy. *Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie.* 2000;238(12):960-4.
9. Toto L, Borrelli E, Di Antonio L, Carpineto P, Mastropasqua R. Retinal Vascular Plexuses' Changes in Dry Age-Related Macular Degeneration, Evaluated by Means of Optical Coherence Tomography Angiography. *Retina.* 2016;36(8):1566-72.
10. Gil JQ, Marques JP, Hogg R, Rosina C, Cachulo ML, Santos A, et al. Clinical features and long-term progression of reticular pseudodrusen in age-related macular degeneration: findings from a multicenter cohort. *Eye.* 2017;31(3):364-71.
11. Hogg RE, Silva R, Staurenghi G, Murphy G, Santos AR, Rosina C, et al. Clinical characteristics of reticular pseudodrusen in the fellow eye of patients with unilateral neovascular age-related macular degeneration. *Ophthalmology.* 2014;121(9):1748-55.
12. Nesper PL, Soetikno BT, Fawzi AA. Choriocapillaris Nonperfusion is Associated With Poor Visual Acuity in Eyes With Reticular Pseudodrusen. *American journal of ophthalmology.* 2017;174:42-55.
13. Coscas GJ, Lupidi M, Coscas F, Cagini C, Souied EH. OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY VERSUS TRADITIONAL MULTIMODAL IMAGING IN ASSESSING THE ACTIVITY OF EXUDATIVE AGE-RELATED MACULAR DEGENERATION: A New Diagnostic Challenge. *Retina.* 2015;35(11):2219-28.
14. Moult E, Choi W, Waheed NK, Adhi M, Lee B, Lu CD, et al. Ultrahigh-speed swept-source OCT angiography in exudative AMD. *Ophthalmic surgery, lasers & imaging retina.* 2014;45(6):496-505.
15. Jia Y, Bailey ST, Wilson DJ, Tan O, Klein ML, Flaxel CJ, et al. Quantitative optical coherence tomography angiography of choroidal neovascularization in age-related macular degeneration. *Ophthalmology.* 2014;121(7):1435-44.
16. Kuehlewein L, Bansal M, Lenis TL, Iafe NA, Sadda SR, Bonini Filho MA, et al. Optical Coherence Tomography Angiography of Type 1 Neovascularization in Age-Related Macular Degeneration. *American journal of ophthalmology.* 2015;160(4):739-48 e2.
17. Huang D, Jia Y, Rispoli M, Tan O, Lumbroso B. Optical Coherence Tomography Angiography of Time

Course of Choroidal Neovascularization in Response to Anti-Angiogenic Treatment. *Retina*. 2015;35(11):2260-4.

18. Palejwala NV, Jia Y, Gao SS, Liu L, Flaxel CJ, Hwang TS, et al. Detection of Nonexudative Choroidal Neovascularization in Age-Related Macular Degeneration with Optical Coherence Tomography Angiography. *Retina*. 2015.
19. de Oliveira Dias JR, Zhang Q, Garcia JMB, Zheng F, Motulsky EH, Roisman L, et al. Natural History of Subclinical Neovascularization in Nonexudative Age-Related Macular Degeneration Using Swept-Source OCT Angiography. *Ophthalmology*. 2017.
20. Kuehlewein L, Dansingani KK, de Carlo TE, Bonini Filho MA, Iafe NA, Lenis TL, et al. Optical Coherence Tomography Angiography of Type 3 Neovascularization Secondary to Age-Related Macular Degeneration. *Retina*. 2015;35(11):2229-35.
21. Tan AC, Dansingani KK, Yannuzzi LA, Sarraf D, Freund KB. Type 3 Neovascularization Imaged with Cross-Sectional and En Face Optical Coherence Tomography Angiography. *Retina*. 2016.
22. Querques G, Miere A, Souied EH. Optical Coherence Tomography Angiography Features of Type 3 Neovascularization in Age-Related Macular Degeneration. *Dev Ophthalmol*. 2016;56:57-61.
23. Tan AC, Dansingani KK, Yannuzzi LA, Sarraf D, Freund KB. Type 3 Neovascularization Imaged with Cross-Sectional and En Face Optical Coherence Tomography Angiography. *Retina*. 2017;37(2):234-46.
24. Martins A, Farinha C, Raimundo M, Lopes M, Santos AR, Melo P, et al. Multimodal Evaluation of the Fellow Eye of Patients with Retinal Angiomatous Proliferation. *Ophthalmic research*. 2017.
25. Inoue M, Balaratnasingam C, Freund KB. Optical Coherence Tomography Angiography of Polypoidal Choroidal Vasculopathy and Polypoidal Choroidal Neovascularization. *Retina*. 2015.
26. Tanaka K, Mori R, Kawamura A, Nakashizuka H, Wakatsuki Y, Yuzawa M. Comparison of OCT angiography and indocyanine green angiographic findings with subtypes of polypoidal choroidal vasculopathy. *The British journal of ophthalmology*. 2017;101(1):51-5.
27. Tomiyasu T, Nozaki M, Yoshida M, Ogura Y. Characteristics of Polypoidal Choroidal Vasculopathy Evaluated by Optical Coherence Tomography Angiography. *Investigative ophthalmology & visual science*. 2016;57(9):OCT324-30.
28. Takayama K, Ito Y, Kaneko H, Kataoka K, Sugita T, Maruko R, et al. Comparison of indocyanine green angiography and optical coherence tomographic angiography in polypoidal choroidal vasculopathy. *Eye*. 2017;31(1):45-52.
29. Srour M, Querques G, Semoun O, El Ameen A, Miere A, Sikorav A, et al. Optical coherence tomography angiography characteristics of polypoidal choroidal vasculopathy. *The British journal of ophthalmology*. 2016;100(11):1489-93.
30. Velez-Montoya R, Oliver SC, Olson JL, Fine SL, Mandava N, Quiroz-Mercado H. Current knowledge and trends in age-related macular degeneration: today's and future treatments. *Retina*. 2013;33(8):1487-502.
31. Moult EM, Waheed NK, Novais EA, Choi W, Lee B, Ploner SB, et al. Swept-Source Optical Coherence Tomography Angiography Reveals Choriocapillaris Alterations in Eyes with Nascent Geographic Atrophy and Drusen-Associated Geographic Atrophy. *Retina*. 2016;36 Suppl 1:S2-S11.
32. Kvanta A, Casselholm de Salles M, Amren U, Bartuma H. Optical Coherence Tomography Angiography of the Foveal Microvasculature in Geographic Atrophy. *Retina*. 2017;37(5):936-42.
33. Waheed NK, Moult EM, Fujimoto JG, Rosenfeld PJ. Optical Coherence Tomography Angiography of Dry Age-Related Macular Degeneration. *Dev Ophthalmol*. 2016;56:91-100.
34. Spaide RF, Fujimoto JG, Waheed NK. Image Artifacts in Optical Coherence Tomography Angiography. *Retina*. 2015.
35. Coscas G, Lupidi M, Cagini C, Coscas F. 'False-friend' images on optical coherence tomography angiography: early choroidal neovascularization or artefact? *Acta ophthalmologica*. 2016.
36. Farinha C, Santos T, Marques IP, Marques JP, Ribeiro L, Figueira J, et al. OCT-Leakage Mapping.

Ophthalmology Retina.1(6):486-96.

37. Cunha-Vaz J, Santos T, Ribeiro L, Alves D, Marques I, Goldberg M. OCT-Leakage: A New Method to Identify and Locate Abnormal Fluid Accumulation in Diabetic Retinal Edema. *Investigative ophthalmology & visual science*. 2016;57(15):6776-83.

[View PDF](#)